


E-TH E-Thin hole

Thin hole depth gauge with thin depth bar



Adequate for measurement of depth of thin hole!



E-TH15BL


Measurement of depth

- Since the depth bar is thin (D : ϕ 1.5 mm), the product is adequate for measurement of depth of thin hole.
- The output function is provided.

■ E-TH : Specifications

(Unit : mm)

Model	Measuring length	Resolution	Instrumental error	Power supply	Weight	A	B	C	D
E-TH15BL	150	0.01	± 0.02	SR44 1 piece	180g	238	80	16	ϕ 1.5
E-TH20BL	200				280g				
E-TH30BL	300		± 0.03		390g	405			




E-RD Cave

Depth gauge for the measurement of hook and step




For hook measurement, depth measurement, and step measurement!

Cave




E-RD15BL

Measurement of hook




The position of inner cave from the edge face can be measured.

Measurement of depth



Also the depth of thin hole can be measured. (*)


Measurement of difference in level



Also the difference in level in hole can be measured. (*)

* For measurement of depth and measurement of difference in level, use an attachment that is provided as accessories. The lower edge face of hook is flat with the edge face of attachment, and zero setting is conducted.

Attachment provided as accessories (overall length: 80 mm)
E-RD-AT80



- Also an attachment with overall length of 180 mm is provided as an option.
- The printer output function is provided. E-RD-AT180

■ E-RD : Specifications

(Unit : mm)

Model	Measuring length	Resolution	Instrumental error	Power supply	Weight	A	B	C	D	E	F
E-RD5BL	50	0.01	± 0.02	SR44 1 piece	150g	140	80	16	ϕ 2	1	ϕ 4
E-RD10BL	100				170g	190					
E-RD15BL	150		180g		238	ϕ 2.5					ϕ 6
E-RD15BL6	150	± 0.05									ϕ 8
E-RD15BL8	150										